



INDEX

A

AK	Slide Unit : Compact Block Type	E- 12
AK-G	Slide Unit : Compact Block Type	E- 12
AK-GW	Slide Unit : Compact Block Double-Wide Type	E- 14
AK-R	Slide Rotary Unit : Compact Block Type	F- 18
AK-RW	Slide Rotary Unit : Compact Block Double-Wide Type	F- 19
AK-W	Slide Unit : Compact Block Double-Wide Type	E- 14
AKS	Slide Unit : Compact Block Type, Anticorrosion	E- 12
AKS-G	Slide Unit : Compact Block Type, Anticorrosion	E- 12
AKS-GW	Slide Unit : Compact Block Double-Wide Type, Anticorrosion	E- 14
AKS-W	Slide Unit : Compact Block Double-Wide Type, Anticorrosion	E- 14

B

BG	Actuator : Integrated Guide and Ball Screw System	I- 22
BT	Slide Way : SV Exclusive Mounting Bolt	H- 6

C

CD	Assembled Unit : Clearance Adjustable Type	E- 36
CDS	Assembled Unit : Clearance Adjustable Type, Anticorrosion	E- 36
CE	Assembled Unit : Non-Clearance Adjustable Type	E- 34
CES	Assembled Unit : Non-Clearance Adjustable Type, Anticorrosion	E- 34
CR	Gonio Way : Curved Roller Cage	H- 49

F

F	Slide Guide : Rail Plug	A- 15
FLM	Slide Bush : Felt Seal	D- 11
FP	Ball Spline : Lock Plate	B- 13

G

GM	Slide Bush : Light Weight Type	D- 12
GM-W	Slide Bush : Light Weight Double-Wide Type	D- 13
GMF-W	Slide Bush : Light Weight Round Flange Double-Wide Type	D- 14
GМК-W	Slide Bush : Light Weight Square Flange Double-Wide Type	D- 16
GMT-W	Slide Bush : Light Weight Two Side Cut Double-Wide Type	D- 18

K

KB	Slide Bush (Euro Standard) : Standard Type	D- 70
KB-AJ	Slide Bush (Euro Standard) : Clearance Adjustable Type	D- 72
KB-G	Slide Bush (Euro Standard) : Standard Type	D- 70
KB-G-AJ	Slide Bush (Euro Standard) : Clearance Adjustable Type	D- 72
KB-G-OP	Slide Bush (Euro Standard) : Open Type	D- 74
KB-GW	Slide Bush (Euro Standard) : Double-Wide Type	D- 76
KB-OP	Slide Bush (Euro Standard) : Open Type	D- 74
KB-W	Slide Bush (Euro Standard) : Double-Wide Type	D- 76
KBF	Slide Bush (Euro Standard) : Round Flange Type	D- 78
KBF-G	Slide Bush (Euro Standard) : Round Flange Type	D- 78
KBF-GW	Slide Bush (Euro Standard) : Round Flange Double-Wide Type	D- 84
KBF-W	Slide Bush (Euro Standard) : Round Flange Double-Wide Type	D- 84
KBFC	Slide Bush (Euro Standard) : Center Mount Round Flange Type	D- 88
KBFC-G	Slide Bush (Euro Standard) : Center Mount Round Flange Type	D- 88
KBK	Slide Bush (Euro Standard) : Square Flange Type	D- 80
KBK-G	Slide Bush (Euro Standard) : Square Flange Type	D- 80
KBK-GW	Slide Bush (Euro Standard) : Square Flange Double-Wide Type	D- 86
KBK-W	Slide Bush (Euro Standard) : Square Flange Double-Wide Type	D- 86
KBKC	Slide Bush (Euro Standard) : Center Mount Square Flange Type	D- 90
KBKC-G	Slide Bush (Euro Standard) : Center Mount Square Flange Type	D- 90

KBS	Slide Bush (Euro Standard) : Standard Type, Anticorrosion	D- 70
KBS-AJ	Slide Bush (Euro Standard) : Clearance Adjustable Type, Anticorrosion	D- 72
KBS-G	Slide Bush (Euro Standard) : Standard Type, Anticorrosion	D- 70
KBS-G-AJ	Slide Bush (Euro Standard) : Clearance Adjustable Type, Anticorrosion	D- 72
KBS-G-OP	Slide Bush (Euro Standard) : Open Type, Anticorrosion	D- 74
KBS-GW	Slide Bush (Euro Standard) : Double-Wide Type, Anticorrosion	D- 76
KBS-OP	Slide Bush (Euro Standard) : Open Type, Anticorrosion	D- 74
KBS-W	Slide Bush (Euro Standard) : Double-Wide Type, Anticorrosion	D- 76
KBSF	Slide Bush (Euro Standard) : Round Flange Type, Anticorrosion	D- 78
KBSF-G	Slide Bush (Euro Standard) : Round Flange Type, Anticorrosion	D- 78
KBSF-GW	Slide Bush (Euro Standard) : Round Flange Double-Wide Type, Anticorrosion	D- 84
KBSF-W	Slide Bush (Euro Standard) : Round Flange Double-Wide Type, Anticorrosion	D- 84
KBSFC	Slide Bush (Euro Standard) : Center Mount Round Flange Type, Anticorrosion	D- 88
KBSFC-G	Slide Bush (Euro Standard) : Center Mount Round Flange Type, Anticorrosion	D- 88
KBSK	Slide Bush (Euro Standard) : Square Flange Type, Anticorrosion	D- 80
KBSK-G	Slide Bush (Euro Standard) : Square Flange Type, Anticorrosion	D- 80
KBSK-GW	Slide Bush (Euro Standard) : Square Flange Double-Wide Type, Anticorrosion	D- 86
KBSK-W	Slide Bush (Euro Standard) : Square Flange Double-Wide Type, Anticorrosion	D- 86
KBSKC	Slide Bush (Euro Standard) : Center Mount Square Flange Type, Anticorrosion	D- 90
KBSKC-G	Slide Bush (Euro Standard) : Center Mount Square Flange Type, Anticorrosion	D- 90
KBST	Slide Bush (Euro Standard) : Two Side Cut Flange Type, Anticorrosion	D- 82
KBST-G	Slide Bush (Euro Standard) : Two Side Cut Flange Type, Anticorrosion	D- 82
KBT	Slide Bush (Euro Standard) : Two Side Cut Flange Type	D- 82
KBT-G	Slide Bush (Euro Standard) : Two Side Cut Flange Type	D- 82
K-Grease	Low Dust-generation	Eng- 12

L

LP	Ball Spline : Lock Plate	B- 13
-----------------	--------------------------------	--------------

R

R	Slide Way : Roller Cage	H- 19
RA	Slide Way : Aluminum Roller Cage	H- 19
RAS	Slide Way : Aluminum Roller Cage, Anticorrosion	H- 19
RB	Slide Unit : Resin Block Type	E- 28
RBW	Slide Unit (Inch Standard) : Resin Block Type	E- 44
RK	Slide Rotary Bush	F- 23
RS	Slide Way : Roller Cage, Anticorrosion	H- 19
RV	Gonio Way	H- 50

SA

SA	Slide Unit : Shaft Support Rail	E- 32
-----------------	---------------------------------------	--------------

SE

SEB-A	Slide Guide : Miniature Type	A- 30
SEB-A-N	Slide Guide : Miniature Type w/Tapped Hole Rail	A- 32
SEB-AY	Slide Guide : Miniature Long Type	A- 30
SEB-AY-N	Slide Guide : Miniature Long Type w/Tapped Hole Rail	A- 32
SEB-WA	Slide Guide : Miniature Wide Type	A- 34
SEB-WA-N	Slide Guide : Miniature Wide Type w/Tapped Hole Rail	A- 36
SEB-WAY	Slide Guide : Miniature Wide and Long Type	A- 34
SEB-WAY-N	Slide Guide : Miniature Wide and Long Type w/Tapped Hole Rail	A- 36
SEB-WD	Slide Guide : Miniature Wide Type	A- 34
SEB-WD-N	Slide Guide : Miniature Wide Type w/Tapped Hole Rail	A- 36
SEBS-A	Slide Guide : Miniature Type, Anticorrosion	A- 30
SEBS-A-N	Slide Guide : Miniature Type w/Tapped Hole Rail, Anticorrosion	A- 32
SEBS-AY	Slide Guide : Miniature Long Type, Anticorrosion	A- 30
SEBS-AY-N	Slide Guide : Miniature Long Type w/Tapped Hole Rail, Anticorrosion	A- 32



SEBS-B	Slide Guide (Retained Ball) : Miniature Type	A- 22
SEBS-B-N	Slide Guide (Retained Ball) : Miniature Type w/Tapped Hole Rail	A- 24
SEBS-BM	Slide Guide (Retained Ball) : Miniature All Stainless Type	A- 26
SEBS-BM-N	Slide Guide (Retained Ball) : Miniature All Stainless Type w/Tapped Hole Rail	A- 28
SEBS-BY	Slide Guide (Retained Ball) : Miniature Long Type	A- 22
SEBS-BY-N	Slide Guide (Retained Ball) : Miniature Long Type w/Tapped Hole Rail	A- 24
SEBS-BYM	Slide Guide (Retained Ball) : Miniature All Stainless Long Type	A- 26
SEBS-BYM-N	Slide Guide (Retained Ball) : Miniature All Stainless Long Type w/Tapped Hole Rail	A- 28
SEBS-WA	Slide Guide : Miniature Wide Type, Anticorrosion	A- 34
SEBS-WA-N	Slide Guide : Miniature Wide Type w/Tapped Hole Rail, Anticorrosion	A- 36
SEBS-WAY	Slide Guide : Miniature Wide and Long Type, Anticorrosion	A- 34
SEBS-WAY-N	Slide Guide : Miniature Wide and Long Type w/Tapped Hole Rail, Anticorrosion	A- 36
SEBS-WD	Slide Guide : Miniature Wide Type, Anticorrosion	A- 34
SEBS-WD-N	Slide Guide : Miniature Wide Type w/Tapped Hole Rail, Anticorrosion	A- 36
SER-A	Slide Guide (Roller Element) : Miniature Type	A- 42
SER-A-N	Slide Guide (Roller Element) : Miniature Type w/Tapped Hole Rail	A- 44
SER-WA	Slide Guide (Roller Element) : Miniature Wide Type	A- 46
SER-WA-N	Slide Guide (Roller Element) : Miniature Wide Type w/Tapped Hole Rail	A- 48
SERS-A	Slide Guide (Roller Element) : Miniature Type, Anticorrosion	A- 42
SERS-A-N	Slide Guide (Roller Element) : Miniature Type w/Tapped Hole Rail, Anticorrosion	A- 44
SERS-WA	Slide Guide (Roller Element) : Miniature Wide Type, Anticorrosion	A- 46
SERS-WA-N	Slide Guide (Roller Element) : Miniature Wide Type w/Tapped Hole Rail, Anticorrosion	A- 48

SF

SF	Slide Shaft : Fine Shaft	G- 10
-----------	--------------------------	-------

SG

SGL-E	Slide Guide : High Rigidity Flange Type (Short Configuration)	A- 62
SGL-F	Slide Guide : High Rigidity Non-Flange Type (Short Configuration)	A- 56
SGL-HTE	Slide Guide : High Rigidity Flange Type	A- 66
SGL-HTF	Slide Guide : High Rigidity Non-Flange Type	A- 60
SGL-TE	Slide Guide : High Rigidity Flange Type	A- 64
SGL-TF	Slide Guide : High Rigidity Non-Flange Type	A- 58
SGW-TE	Slide Guide : High Rigidity Wide Flange Type	A- 72

SH

SH	Slide Unit : Shaft End Supporter	E- 30
SH-A	Slide Unit : Aluminum Shaft End Supporter	E- 29
SHF	Slide Unit : Shaft End Supporter Flange Type	E- 31

SM

SM	Slide Bush : Standard Type	D- 20
SM-AJ	Slide Bush : Clearance Adjustable Type	D- 22
SM-G	Slide Bush : Standard Type	D- 20
SM-G-AJ	Slide Bush : Clearance Adjustable Type	D- 22
SM-G-OP	Slide Bush : Open Type	D- 24
SM-GW	Slide Bush : Double-Wide Type	D- 26
SM-OP	Slide Bush : Open Type	D- 24
SM-W	Slide Bush : Double-Wide Type	D- 26
SMA	Slide Unit : Block Type	E- 8
SMA-G	Slide Unit : Block Type	E- 8
SMA-GW	Slide Unit : Double-Wide Block Type	E- 10
SMA-R	Slide Rotary Unit : Block Type	F- 16
SMA-RW	Slide Rotary Unit : Block Double-Wide Type	F- 17
SMA-W	Slide Unit : Double-Wide Block Type	E- 10
SMB	Slide Unit : Block Type	E- 16
SMB-G	Slide Unit : Block Type	E- 16

SMD	Slide Unit : Clearance Adjustable Open Block Type	E- 26
SMD-G	Slide Unit : Clearance Adjustable Open Block Type	E- 26
SME	Slide Unit : Non-Clearance Adjustable Open Block Type	E- 22
SME-G	Slide Unit : Non-Clearance Adjustable Open Block Type	E- 22
SME-GW	Slide Unit : Double-Wide Open Block Type	E- 24
SME-W	Slide Unit : Double-Wide Open Block Type	E- 24
SMF	Slide Bush : Round Flange Type	D- 28
SMF-E	Slide Bush : Round Flange Pilot End Type	D- 34
SMF-G	Slide Bush : Round Flange Type	D- 28
SMF-G-E	Slide Bush : Round Flange Pilot End Type	D- 34
SMF-GW	Slide Bush : Round Flange Double-Wide Type	D- 40
SMF-GW-E	Slide Bush : Round Flange Double-Wide Pilot End Type	D- 52
SMF-W	Slide Bush : Round Flange Double-Wide Type	D- 40
SMF-W-E	Slide Bush : Round Flange Double-Wide Pilot End Type	D- 52
SMFC	Slide Bush : Center Mount Round Flange Type	D- 46
SMFC-G	Slide Bush : Center Mount Round Flange Type	D- 46
SMJ	Slide Unit : Clearance Adjustable Block Type	E- 20
SMJ-G	Slide Unit : Clearance Adjustable Block Type	E- 20
SMK	Slide Bush : Square Flange Type	D- 30
SMK-E	Slide Bush : Square Flange Pilot End Type	D- 36
SMK-G	Slide Bush : Square Flange Type	D- 30
SMK-G-E	Slide Bush : Square Flange Pilot End Type	D- 36
SMK-GW	Slide Bush : Square Flange Double-Wide Type	D- 42
SMK-GW-E	Slide Bush : Square Flange Double-Wide Pilot End Type	D- 54
SMK-W	Slide Bush : Square Flange Double-Wide Type	D- 42
SMK-W-E	Slide Bush : Square Flange Double-Wide Pilot End Type	D- 54
SMKC	Slide Bush : Center Mount Square Flange Type	D- 48
SMKC-G	Slide Bush : Center Mount Square Flange Type	D- 48
SMP	Slide Unit : Pillow Block Type	E- 18
SMP-G	Slide Unit : Pillow Block Type	E- 18
SMP-R	Slide Rotary Unit : Pillow Block Type	F- 20
SMS	Slide Bush : Standard Type, Anticorrosion	D- 20
SMS-AJ	Slide Bush : Clearance Adjustable Type, Anticorrosion	D- 22
SMS-G	Slide Bush : Standard Type, Anticorrosion	D- 20
SMS-G-AJ	Slide Bush : Clearance Adjustable Type, Anticorrosion	D- 22
SMS-G-OP	Slide Bush : Open Type, Anticorrosion	D- 24
SMS-GW	Slide Bush : Double-Wide Type, Anticorrosion	D- 26
SMS-OP	Slide Bush : Open Type, Anticorrosion	D- 24
SMS-W	Slide Bush : Double-Wide Type, Anticorrosion	D- 26
SMSA	Slide Unit : Block Type, Anticorrosion	E- 8
SMSA-G	Slide Unit : Block Type, Anticorrosion	E- 8
SMSA-GW	Slide Unit : Double-Wide Block Type, Anticorrosion	E- 10
SMSA-W	Slide Unit : Double-Wide Block Type, Anticorrosion	E- 10
SMSB	Slide Unit : Block Type, Anticorrosion	E- 16
SMSB-G	Slide Unit : Block Type, Anticorrosion	E- 16
SMSD	Slide Unit : Clearance Adjustable Open Block Type, Anticorrosion	E- 26
SMSD-G	Slide Unit : Clearance Adjustable Open Block Type, Anticorrosion	E- 26
SMSE	Slide Unit : Non-Clearance Adjustable Open Block Type, Anticorrosion	E- 22
SMSE-G	Slide Unit : Non-Clearance Adjustable Open Block Type, Anticorrosion	E- 22
SMSE-GW	Slide Unit : Double-Wide Open Block Type, Anticorrosion	E- 24
SMSE-W	Slide Unit : Double-Wide Open Block Type, Anticorrosion	E- 24
SMSF	Slide Bush : Round Flange Type, Anticorrosion	D- 28
SMSF-E	Slide Bush : Round Flange Pilot End Type, Anticorrosion	D- 34
SMSF-G	Slide Bush : Round Flange Type, Anticorrosion	D- 28
SMSF-G-E	Slide Bush : Round Flange Pilot End Type, Anticorrosion	D- 34
SMSF-GW	Slide Bush : Round Flange Double-Wide Type, Anticorrosion	D- 40
SMSF-GW-E	Slide Bush : Round Flange Double-Wide Pilot End Type, Anticorrosion	D- 52



SMSF-W	Slide Bush : Round Flange Double-Wide Type, Anticorrosion	D- 40
SMSF-W-E	Slide Bush : Round Flange Double-Wide Pilot End Type, Anticorrosion	D- 52
SMSFC	Slide Bush : Center Mount Round Flange Type, Anticorrosion	D- 46
SMSFC-G	Slide Bush : Center Mount Round Flange Type, Anticorrosion	D- 46
SMSJ	Slide Unit : Clearance Adjustable Block Type, Anticorrosion	E- 20
SMSJ-G	Slide Unit : Clearance Adjustable Block Type, Anticorrosion	E- 20
SMSK	Slide Bush : Square Flange Type, Anticorrosion	D- 30
SMSK-E	Slide Bush : Square Flange Pilot End Type, Anticorrosion	D- 36
SMSK-G	Slide Bush : Square Flange Type, Anticorrosion	D- 30
SMSK-G-E	Slide Bush : Square Flange Pilot End Type, Anticorrosion	D- 36
SMSK-GW	Slide Bush : Square Flange Double-Wide Type, Anticorrosion	D- 42
SMSK-GW-E	Slide Bush : Square Flange Double-Wide Pilot End Type, Anticorrosion	D- 54
SMSK-W	Slide Bush : Square Flange Double-Wide Type, Anticorrosion	D- 42
SMSK-W-E	Slide Bush : Square Flange Double-Wide Pilot End Type, Anticorrosion	D- 54
SMSKC	Slide Bush : Center Mount Square Flange Type, Anticorrosion	D- 48
SMSKC-G	Slide Bush : Center Mount Square Flange Type, Anticorrosion	D- 48
SMST	Slide Bush : Two Side Cut Flange Type, Anticorrosion	D- 32
SMST-E	Slide Bush : Two Side Cut Pilot End Flange Type, Anticorrosion	D- 28
SMST-G	Slide Bush : Two Side Cut Flange Type, Anticorrosion	D- 32
SMST-G-E	Slide Bush : Two Side Cut Pilot End Flange Type, Anticorrosion	D- 38
SMST-GW	Slide Bush : Two Side Cut Double-Wide Flange Type, Anticorrosion	D- 44
SMST-GW-E	Slide Bush : Two Side Cut Double-Wide Flange Pilot End Type, Anticorrosion	D- 56
SMST-W	Slide Bush : Two Side Cut Double-Wide Flange Type, Anticorrosion	D- 44
SMST-W-E	Slide Bush : Two Side Cut Double-Wide Flange Pilot End Type, Anticorrosion	D- 56
SMSTC	Slide Bush : Two Side Cut Center Flange Type, Anticorrosion	D- 50
SMSTC-G	Slide Bush : Two Side Cut Center Flange Type, Anticorrosion	D- 50
SMT	Slide Bush : Two Side Cut Flange Type	D- 32
SMT-E	Slide Bush : Two Side Cut Pilot End Flange Type	D- 38
SMT-G	Slide Bush : Two Side Cut Flange Type	D- 32
SMT-G-E	Slide Bush : Two Side Cut Pilot End Flange Type	D- 38
SMT-GW	Slide Bush : Two Side Cut Double-Wide Flange Type	D- 44
SMT-GW-E	Slide Bush : Two Side Cut Double-Wide Flange Pilot End Type	D- 56
SMT-W	Slide Bush : Two Side Cut Double-Wide Flange Type	D- 44
SMT-W-E	Slide Bush : Two Side Cut Double-Wide Flange Pilot End Type	D- 56
SMTC	Slide Bush : Two Side Cut Center Flange Type	D- 50
SMTC-G	Slide Bush : Two Side Cut Center Flange Type	D- 50

SN

SN	Slide Shaft : NB Shaft	G- 6
SNB	Slide Shaft : Pre-Drilled Shaft	G- 9
SNS	Slide Shaft : NB Shaft, Anticorrosion	G- 7
SNSB	Slide Shaft : Pre-Drilled Shaft, Anticorrosion	G- 9
SNSF	Slide Shaft : Fine Shaft, Anticorrosion	G- 11
SNT	Slide Shaft : NB Pipe Shaft	G- 8
SNTF	Slide Shaft : Fine Pipe Shaft	G- 11
SNW	Slide Shaft : Inch Size Shaft	G- 12
SNWS	Slide Shaft : Inch Size Shaft, Anticorrosion	G- 13
SNW-PD	Slide Shaft : Inch Size Pre-Drilled Shaft	G- 14
SNWS-PD	Slide Shaft : Inch Size Pre-Drilled Shaft, Anticorrosion	G- 15

SP

SPA	Ball Spline : Aluminum Block Type	B- 24
SPA-S	Ball Spline (Standard) : Aluminum Block Type	B- 30
SPA-W	Ball Spline : Double-Wide Aluminum Block Type	B- 26
SPA-WS	Ball Spline (Standard) : Double-Wide Aluminum Block Type	B- 30
SPR	Rotary Ball Spline	B- 38

SR

SR	Stroke Bush : Standard	F- 4
SR-B	Stroke Bush : Double Retainer Type	F- 6
SR-BUU	Stroke Bush : Double Retainer Type w/Seals	F- 7
SR-UU	Stroke Bush : Standard w/Seals	F- 5
SRE	Slide Rotary Bush	F- 12
SREK	Slide Rotary Bush : Square Flange Type	F- 14

SS

SS	Slide Screw	J- 7
SSP	Ball Spline : Cylindrical Type	B- 16
SSP-C	Ball Spline : Commercial Spline Assembly w/SSP nut	B- 31
SSP-S	Ball Spline : Standard Spline Assembly w/SSP nut	B- 30
SSPB	Ball Spline : Block Type	B- 28
SSPB-C	Ball Spline : Commercial Spline Assembly w/SSPB nut	B- 31
SSPB-S	Ball Spline : Standard Spline Assembly w/SSPB nut	B- 30
SSPF	Ball Spline : Round Flange Type	B- 20
SSPF-C	Ball Spline : Commercial Spline Assembly w/SSPF nut	B- 31
SSPF-S	Ball Spline : Standard Spline Assembly w/SSPF nut	B- 30
SSPM	Ball Spline : Cylindrical Keyless Type	B- 18
SSPM-S	Ball Spline : Standard Spline Assembly w/SSPM nut	B- 30
SSPT	Ball Spline : Two Side Cut Flange Type	B- 22
SSPT-S	Ball Spline : Standard Spline Assembly w/SSPT nut	B- 30

SV

SV	Slide Way	H- 8
SVS	Slide Way : Anticorrosion	H- 8
SVT	Slide Table	H- 24
SVTS	Slide Table : Anticorrosion	H- 24
SVW	Slide Way : Center Rail Type	H- 16
SVWS	Slide Way : Center Rail Type, Anticorrosion	H- 16

SW

SW	Slide Bush (Inch Standard) : Standard Type	D- 92
SW-AJ	Slide Bush (Inch Standard) : Clearance Adjustable Type	D- 94
SW-G	Slide Bush (Inch Standard) : Standard Type	D- 92
SW-G-AJ	Slide Bush (Inch Standard) : Clearance Adjustable Type	D- 94
SW-G-OP	Slide Bush (Inch Standard) : Open Type	D- 96
SW-GR	Slide Bush (Inch Standard) : Self-Aligning Type	D- 92
SW-GR-AJ	Slide Bush (Inch Standard) : Self-Aligning, Clearance Adjustable Type	D- 94
SW-GR-OP	Slide Bush (Inch Standard) : Self-Aligning, Open Type	D- 96
SW-GW	Slide Bush (Inch Standard) : Double-Wide Type	D- 98
SW-OP	Slide Bush (Inch Standard) : Open Type	D- 96
SW-W	Slide Bush (Inch Standard) : Double-Wide Type	D- 98
SWA	Slide Unit (Inch Standard) : Block Type	E- 38
SWA-G	Slide Unit (Inch Standard) : Block Type	E- 38
SWD	Slide Unit (Inch Standard) : Clearance Adjustable Open Block Type	E- 42
SWD-G	Slide Unit (Inch Standard) : Clearance Adjustable Open Block Type	E- 42
SWJ	Slide Unit (Inch Standard) : Clearance Adjustable Block Type	E- 40
SWJ-G	Slide Unit (Inch Standard) : Clearance Adjustable Block Type	E- 40
SWF	Slide Bush (Inch Standard) : Round Flange Type	D-100
SWF-G	Slide Bush (Inch Standard) : Round Flange Type	D-100
SWF-GW	Slide Bush (Inch Standard) : Round Flange Double-Wide Type	D-106
SWF-W	Slide Bush (Inch Standard) : Round Flange Double-Wide Type	D-106
SWFC	Slide Bush (Inch Standard) : Center Mount Round Flange Type	D-110
SWFC-G	Slide Bush (Inch Standard) : Center Mount Round Flange Type	D-110



SWK	Slide Bush (Inch Standard) : Square Flange Type	D-102
SWK-G	Slide Bush (Inch Standard) : Square Flange Type	D-102
SWK-GW	Slide Bush (Inch Standard) : Square Flange Double-Wide Type	D-108
SWK-W	Slide Bush (Inch Standard) : Square Flange Double-Wide Type	D-108
SWKC	Slide Bush (Inch Standard) : Center Mount Square Flange Type	D-112
SWKC-G	Slide Bush (Inch Standard) : Center Mount Square Flange Type	D-112
SWS	Slide Bush (Inch Standard) : Standard Type, Anticorrosion	D- 92
SWS-AJ	Slide Bush (Inch Standard) : Clearance Adjustable Type, Anticorrosion	D- 94
SWS-G	Slide Bush (Inch Standard) : Standard Type, Anticorrosion	D- 92
SWS-G-AJ	Slide Bush (Inch Standard) : Clearance Adjustable Type, Anticorrosion	D- 94
SWS-G-OP	Slide Bush (Inch Standard) : Open Type, Anticorrosion	D- 96
SWS-GW	Slide Bush (Inch Standard) : Double-Wide Type, Anticorrosion	D- 98
SWS-OP	Slide Bush (Inch Standard) : Open Type, Anticorrosion	D- 96
SWS-W	Slide Bush (Inch Standard) : Double-Wide Type, Anticorrosion	D- 98
SWSA	Slide Bush (Inch Standard) : Block Type, Anticorrosion	E- 38
SWSA-G	Slide Bush (Inch Standard) : Block Type, Anticorrosion	E- 38
SWSD	Slide Bush (Inch Standard) : Clearance Adjustable Open Block Type, Anticorrosion	E- 42
SWSD-G	Slide Bush (Inch Standard) : Clearance Adjustable Open Block Type, Anticorrosion	E- 42
SWSF	Slide Bush (Inch Standard) : Round Flange Type, Anticorrosion	D-100
SWSF-G	Slide Bush (Inch Standard) : Round Flange Type, Anticorrosion	D-100
SWSF-GW	Slide Bush (Inch Standard) : Round Flange Double-Wide Type, Anticorrosion	D-106
SWSF-W	Slide Bush (Inch Standard) : Round Flange Double-Wide Type, Anticorrosion	D-106
SWSFC	Slide Bush (Inch Standard) : Center Mount Round Flange Type, Anticorrosion	D-110
SWSFC-G	Slide Bush (Inch Standard) : Center Mount Round Flange Type, Anticorrosion	D-110
SWSJ	Slide Bush (Inch Standard) : Clearance Adjustable Block Type, Anticorrosion	E- 40
SWSJ-G	Slide Bush (Inch Standard) : Clearance Adjustable Block Type, Anticorrosion	E- 40
SWSK	Slide Bush (Inch Standard) : Square Flange Type, Anticorrosion	D-102
SWSK-G	Slide Bush (Inch Standard) : Square Flange Type, Anticorrosion	D-102
SWSK-GW	Slide Bush (Inch Standard) : Square Flange Double-Wide Type, Anticorrosion	D-108
SWSK-W	Slide Bush (Inch Standard) : Square Flange Double-Wide Type, Anticorrosion	D-108
SWSKC	Slide Bush (Inch Standard) : Center Mount Square Flange Type, Anticorrosion	D-112
SWSKC-G	Slide Bush (Inch Standard) : Center Mount Square Flange Type, Anticorrosion	D-112
SWST	Slide Bush (Inch Standard) : Two Side Cut Flange Type, Anticorrosion	D-104
SWST-G	Slide Bush (Inch Standard) : Two Side Cut Flange Type, Anticorrosion	D-104
SWT	Slide Bush (Inch Standard) : Two Side Cut Flange Type	D-104
SWT-G	Slide Bush (Inch Standard) : Two Side Cut Flange Type	D-104

SY

SYBS	Slide Table : Ultra Compact Type	H- 42
SYT	Slide Table : Compact Type	H- 30
SYT-D	Slide Table : Compact Type w/Counter Bored Rail	H- 34
SYTS	Slide Table : Compact Type, Anticorrosion	H- 30
SYTS-D	Slide Table : Compact Type w/Counter Bored Rail, Anticorrosion	H- 34

T

TRF	Slide Bush : Triple-Wide Round Flange Type	D- 58
TRF-E	Slide Bush : Triple-Wide Round Flange Pilot End Type	D- 66
TRF-G	Slide Bush : Triple-Wide Round Flange Type	D- 58
TRF-G-E	Slide Bush : Triple-Wide Round Flange Pilot End Type	D- 66
TRFC	Slide Bush : Triple-Wide Intermediate Position Round Flange Type	D- 62
TRFC-G	Slide Bush : Triple-Wide Intermediate Position Round Flange Type	D- 62
TRK	Slide Bush : Triple-Wide Square Flange Type	D- 60
TRK-E	Slide Bush : Triple-Wide Square Flange Pilot End Type	D- 68
TRK-G	Slide Bush : Triple-Wide Square Flange Type	D- 60
TRK-G-E	Slide Bush : Triple-Wide Square Flange Pilot End Type	D- 68
TRKC	Slide Bush : Triple-Wide Intermediate Position Square Flange Type	D- 64
TRKC-G	Slide Bush : Triple-Wide Intermediate Position Square Flange Type	D- 64

TK

TKTopball Slide Bush (Euro Standard) : Standard TypeC- 8
TK-OPTopball Slide Bush (Euro Standard) : Open TypeC- 8
TKASlide Unit using Topball (Euro Standard) : Block TypeC- 12
TKA-WSlide Unit using Topball (Euro Standard) : Double-Wide Block TypeC- 13
TKDSlide Unit using Topball (Euro Standard) : Clearance Adjustable Open Block TypeC- 16
TKD-WSlide Unit using Topball (Euro Standard) : Clearance Adjustable Double-Wide Open Block TypeC- 17
TKESlide Unit using Topball (Euro Standard) : Non-Clearance Adjustable Open Block TypeC- 14
TKE-WSlide Unit using Topball (Euro Standard) : Non-Clearance Adjustable Double-Wide Open Block Type	C- 15

TW

TWTopball Slide Bush (Inch Standard) : Standard TypeC- 10
TW-OPTopball Slide Bush (Inch Standard) : Open TypeC- 10
TWASlide Unit using Topball (Inch Standard) : Block TypeC- 18
TWA-WSlide Unit using Topball (Inch Standard) : Double-Wide Block TypeC- 19
TWDSlide Unit using Topball (Inch Standard) : Clearance Adjustable Open Block TypeC- 22
TWD-WSlide Unit using Topball (Inch Standard) : Clearance Adjustable Double-Wide Open Block TypeC- 23
TWJSlide Unit using Topball (Inch Standard) : Clearance Adjustable Block TypeC- 20
TWJ-WSlide Unit using Topball (Inch Standard) : Clearance Adjustable Double-Wide Block TypeC- 21

W

WASlide Unit (Inch Standard) : Shaft Support RailE- 46
WH-ASlide Unit (Inch Standard) : Alminum Shaft End SupporterE- 45

SLIDE GUIDE

BALL SPLINE
ROTARY BALL SPLINE

TOPBALL® PRODUCTS

SLIDE BUSH

SLIDE UNIT

STROKE BUSH
SLIDE ROTARY BUSH

SLIDE SHAFT

SLIDE WAY
SLIDE TABLE
GONIO WAY

ACTUATOR

SLIDE SCREW